


| You are in: Lozier > Products > Widespan Shelf Assembly

Widespan Shelf Assembly

Part Number: **WS**



Product Details:

- Available in two types: Wire Grid and Particleboard
- Available in Regular and Heavy Duty
- Load capacity per pair of Beams with appropriate Shelf Supports Evenly distributed load:
 - Regular Duty: 1,600-3,000 lbs
 - Heavy Duty: 3,000 lbs max

INCLUDES

- 2 Widespan Beams
- 1 Widespan Shelf: Particleboard or Wire Grid
- Number of Shelf Supports required for customer's application (See load chart)

WIDESPAN SHELF CAPACITY(Uniformly Distributed Load, lbs)						
Section Depth	Section Width (Beam Length)	# of Regular Duty Shelf Supports With Regular Duty Beams			# of Heavy Duty Shelf Supports with Heavy Duty Beams	
		2	3	4	2	3
Up to 36" D	48"	1,600	2,400	3,000	3,000	---
	60"	1,600	2,400	2,400	---	3,000
	72"	1,600	2,000	2,400	---	3,000

84"	1,600	1,800	2,000	---	3,000	
96"	1,600	1,600	1,600	---	3,000	
42" D	48"	1,370	2,055	2,740	---	3,000
	60"	1,370	2,055	2,400	---	3,000
	72"	1,370	2,000	2,200	---	3,000
	84"	1,370	1,800	1,600	---	3,000
	96"	1,370	1,600	1,600	---	3,000
Up to 48" D	48"	1,200	1,800	2,400	---	3,000
	60"	1,200	1,800	2,400	---	3,000
	72"	1,200	1,800	2,000	---	3,000
	84"	1,200	1,700	1,800	---	3,000
	96"	1,200	1,600	1,600	---	3,000

Product Options and Numbers

Example Part #: **WS SA 24 96 2 RD PLT**
PLT N/A

Widespan Shelf Assembly: **WS**

Shelf Style: **SA**, WA

Section Depth: 18", **24"**, 30", 36", 42", 48"

Section Width: 48", 60", 72", 84", **96"**

Number of Shelf Supports: **2**, 3, 4 (see below for load chart)

Beam & Shelf Support Style: **RD**, HD

Beam Standard Finish: **PLT**, Optional Catalog Colors

Shelf Support Standard Finish: **PLT**, Optional Catalog Colors

Shelf Standard Finish: **N/A**, S04, ZNC

Suffix Key

SA	- Particleboard Shelf
WA	- Wire Grid Shelf
RD	- Regular Duty
HD	- Heavy Duty
PLT	- Platinum
N/A	- No Finish
S04	- Seal Coated
ZNC	- Zinc Wire Grid